











2005.

- [7] M. Rossi and C. J. Kähler, eds., *Experimental Characterization of the Effect of Dean Vortices on Microfluidic Fuel Cells*, 2014.
- [8] C. Cierpka, R. Segura, R. Hain et al., "A simple single camera 3C3D velocity measurement technique without errors due to depth of correlation and spatial averaging for microfluidics," *Measurement Science and Technology*, vol. 21, no. 4, p. 45401, 2010.
- [9] M. Rossi, C. Cierpka, R. Segura et al., "Volumetric reconstruction of the 3D boundary of stream tubes with general topology using tracer particles," *Measurement Science and Technology*, vol. 22, no. 10, p. 105405, 2011.
- [10] A. Ebrahimi Khabbazi, A. J. Richards, and M. Hoorfar, "Numerical study of the effect of the channel and electrode geometry on the performance of microfluidic fuel cells," *Journal of Power Sources*, vol. 195, no. 24, pp. 8141–8151, 2010.
- [11] S. K. Yoon, G. W. Fichtl, and P. J. A. Kenis, "Active control of the depletion boundary layers in microfluidic electrochemical reactors," *Lab on a chip*, vol. 6, no. 12, pp. 1516–1524, 2006.
- [12] A. P. Sudarsan and V. M. Ugaz, "Fluid mixing in planar spiral microchannels," *Lab on a chip*, vol. 6, no. 1, pp. 74–82, 2006.
- [13] W. R. Dean, "Fluid Motion in a Curved Channel," *Proceedings of the Royal Society of London*, no. 121, pp. 402–420, 1928.